

Example 5. Tables

```

<?php

$html = '
<h1>mPDF</h1>
<h2>Tables</h2>
<h3>CSS Styles</h3>
<p>The CSS properties for tables and cells is increased over that in html2fpdf. It includes
recognition of THEAD, TFOOT and TH.<br />See below for other facilities such as autosizing, and
rotation.</p>
<table border="1">
<tbody><tr><td>Row 1</td><td>This is data</td><td>This is data</td></tr>

<tr><td>Row 2</td>

<td style="background-gradient: linear #c7cdde #f0f2ff 0 1 0 0.5;">
<p>This is data p</p>
This is data out of p
<p style="font-weight:bold; font-size:20pt; background-color:#FFBFFF;">This is bold data p</p>
<b>This is bold data out of p</b><br />
This is normal data after br
<h3>H3 in a table</h3>
<div>This is data div</div>
This is data out of div
<div style="font-weight:bold;">This is data div (bold)</div>
This is data out of div
</td>

<td><p>More data</p><p style="font-size:12pt;">This is large text</p></td></tr>
<tr><td><p>Row 3</p></td><td><p>This is long data</p></td><td>This is data</td></tr>
<tr><td><p>Row 4 &lt;td&gt; cell</p></td><td>This is data</td><td><p>This is data</p></td></tr>
<tr><td>Row 5</td><td>Also data</td><td>Also data</td></tr>
<tr><td>Row 6</td><td>Also data</td><td>Also data</td></tr>
<tr><td>Row 7</td><td>Also data</td><td>Also data</td></tr>
<tr><td>Row 8</td><td>Also data</td><td>Also data</td></tr>
</tbody></table>

<p>This table has padding-left and -right set to 5mm i.e. padding within the cells. Also border colour
and style, font family and size are set by <acronym>CSS</acronym>.</p>
<table align="right" style="border: 1px solid #880000; font-family: Mono; font-size: 7pt; "
class="widecells">
<tbody><tr><td>Row 1</td><td>This is data</td><td>This is data</td></tr>
<tr><td>Row 2</td><td><p>This is data p</p></td><td><p>More data</p></td></tr>
<tr><td><p>Row 3</p></td><td><p>This is long data</p></td><td>This is data</td></tr>
<tr><td><p>Row 4 &lt;td&gt; cell</p></td><td>This is data</td><td><p>This is data</p></td></tr>
<tr><td>Row 5</td><td>Also data</td><td>Also data</td></tr>
<tr><td>Row 6</td><td>Also data</td><td>Also data</td></tr>
<tr><td>Row 7</td><td>Also data</td><td>Also data</td></tr>
<tr><td>Row 8</td><td>Also data</td><td>Also data</td></tr>
</tbody></table>

<p>This table has padding-top and -bottom set to 3mm i.e. padding within the cells. Also background-,
border colour and style, font family and size are set by in-line <acronym>CSS</acronym>.</p>
<table style="border: 1px solid #880000; background-color: #B8CDD; font-family: Mono; font-size: 7pt;
" class="tallcells">
<tbody><tr><td>Row 1</td><td>This is data</td><td>This is data</td></tr>
<tr><td>Row 2</td><td><p>This is data p</p></td><td><p>More data</p></td></tr>
<tr><td><p>Row 3</p></td><td><p>This is long data</p></td><td>This is data</td></tr>
</tbody></table>

<h3 style="margin-top: 20pt; margin-collapse:collapse;">Table Styles</h3>
<p>The style sheet used for these examples shows some of the table styles I use on my website. The
property \'topntail\' defined by a border-type definition e.g. "1px solid #880000" puts a border at

```

```

the top and bottom of the table, and also below a header row (thead) if defined. Note also that
<thead> will automatically turn on the header-repeat i.e. reproduce the header row at the top of
each page.</p>
<p>bpmTopic Class</p>
<table class="bpmTopic"><tbody>
<tr>
<td>Row 1</td>
<td>This is data</td>
<td>This is data</td>
</tr>
<tr>
<td>Row 2</td>
<td>
<p>This is data p</p>
</td>
<td>
<p>More data</p>
</td>
</tr>
<tr>
<td>
<p>Row 3</p>
</td>
<td>
<p>This is long data</p>
</td>
<td>This is data</td>
</tr>
<tr>
<td>
<p>Row 4 &lt;td&gt; cell</p>
</td>
<td>This is data</td>
<td>
<p>This is data</p>
</td>
</tr>
<tr>
<td>Row 5</td>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr>
<td>Row 6</td>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr>
<td>Row 7</td>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr>
<td>Row 8</td>
<td>Also data</td>
<td>Also data</td>
</tr>
</tbody></table>

<p> </p>

<p>bpmTopic<b>C</b> Class (centered) Odd and Even rows</p>
<table class="bpmTopicC"><thead>
<tr class="headerrow"><th>Col/Row Header</th>
<td>
<p>Second column header p</p>
</td>
<td>Third column header</td>
</tr>
</thead><tbody>
<tr class="oddrow"><th>Row header 1</th>
<td>This is data</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>Row header 2</th>
<td>
<p>This is data p</p>
</td>

```

```

<td>
<p>This is data</p>
</td>
</tr>
<tr class="oddrow"><th>
<p>Row header 3</p>
</th>
<td>
<p>This is long data</p>
</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>
<p>Row header 4</p>
<p>&lt;th&gt; cell acting as header</p>
</th>
<td>This is data</td>
<td>
<p>This is data</p>
</td>
</tr>
<tr class="oddrow"><th>Row header 5</th>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr class="evenrow"><th>Row header 6</th>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr class="oddrow"><th>Row header 7</th>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr class="evenrow"><th>Row header 8</th>
<td>Also data</td>
<td>Also data</td>
</tr>
</tbody></table>

```

```
<p> </p>
```

```

<p>bpmTopnTail Class </p>
<table class="bpmTopnTail"><tbody>
<tr>
<td>Row 1</td>
<td>This is data</td>
<td>This is data</td>
</tr>
<tr>
<td>Row 2</td>
<td>
<p>This is data p</p>
</td>
<td>
<p>This is data</p>
</td>
</tr>
<tr>
<td>
<p>Row 3</p>
</td>
<td>
<p>This is long data</p>
</td>
<td>This is data</td>
</tr>
<tr>
<td>
<p>Row 4 &lt;td&gt; cell</p>
</td>
<td>This is data</td>
<td>
<p>This is data</p>
</td>
</tr>
<tr>
<td>Row 5</td>
<td>Also data</td>

```

```

<td>Also data</td>
</tr>
<tr>
<td>Row 6</td>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr>
<td>Row 7</td>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr>
<td>Row 8</td>
<td>Also data</td>
<td>Also data</td>
</tr>
</tbody></table>
<p> </p>
<p>bpmTopnTail<b>C</b> Class (centered) Odd and Even rows</p>
<table class="bpmTopnTailC"><thead>
<tr class="headerrow"><th>Col/Row Header</th>
<td>
<p>Second column header p</p>
</td>
<td>Third column header</td>
</tr>
</thead><tbody>
<tr class="oddrow"><th>Row header 1</th>
<td>This is data</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>Row header 2</th>
<td>
<p>This is data p</p>
</td>
<td>
<p>This is data</p>
</td>
</tr>
<tr class="oddrow"><th>
<p>Row header 3</p>
</th>
<td>
<p>This is long data</p>
</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>
<p>Row header 4</p>
<p>&lt;th&gt; cell acting as header</p>
</th>
<td>This is data</td>
<td>
<p>This is data</p>
</td>
</tr>
<tr class="oddrow"><th>Row header 5</th>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr class="evenrow"><th>Row header 6</th>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr class="oddrow"><th>Row header 7</th>
<td>Also data</td>
<td>Also data</td>
</tr>
<tr class="evenrow"><th>Row header 8</th>
<td>Also data</td>
<td>Also data</td>
</tr>
</tbody></table>

<p> </p>
<p>TopnTail Class</p>

```

```

<table class="bpmTopnTail"><thead>
<tr class="headerrow"><th>Col and Row Header</th>
<td>
<p>Second</p>
<p>column</p>
</td>
<td class="pmhTopRight">Top right align</td>
</tr>
</thead><tbody>
<tr class="oddrow"><th>
<p>Row header 1 p</p>
</th>
<td>This is data</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>Row header 2</th>
<td class="pmhBottomRight"><b><i>Bottom right align</i></b></td>
<td>
<p>This is data. Can use</p>
<p><b>bold</b> <i>italic </i><sub>sub</sub> or <sup>sup</sup> text</p>
</td>
</tr>
<tr class="oddrow"><th class="pmhBottomRight">
<p>Bottom right align</p>
</th>
<td class="pmhMiddleCenter" style="border: #000000 1px solid">
<p>This is data. This cell</p>
<p>uses Cell Styles to set</p>
<p>the borders.</p>
<p>All borders are collapsible</p>
<p>in mPDF.</p>
</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>Row header 4</th>
<td>
<p>This is data p</p>
</td>
<td>More data</td>
</tr>
<tr class="oddrow"><th>Row header 5</th>
<td colspan="2" class="pmhTopCenter">Also data merged and centered</td>
</tr>
</tbody></table>

```

<p> </p>

<h4>Lists in a Table</h4>

```

<table class="bpmTopnTail"><thead>
<tr class="headerrow"><th>Col and Row Header</th>
<td>
<p>Second</p>
<p>column</p>
</td>
<td class="pmhTopRight">Top right align</td>
</tr>
</thead><tbody>
<tr class="oddrow"><th>
<p>Row header 1 p</p>
</th>
<td>This is data</td>
<td>This is data</td>
</tr>
<tr class="evenrow"><th>Row header 2</th>
<td>
<ol>
<li>Item 1</li>
<li>Item 2
<ol type="a">
<li>Subitem of ordered list</li>
<li>Subitem 2
<ol type="i">
<li>Level 3 subitem</li>
<li>Level 3 subitem</li>
</ol>
</li>
</ol>
</td>
</tr>
</tbody></table>

```

```

</li>Item 3</li>
<li>Another Item</li>
<li>Subitem
<ol>
<li>Level 3 subitem</li>
</ol>
</li>
<li>Another Item</li>
</ol>
</td>
<td>

```

Unordered list:

```

<ul>
<li>Item 1</li>
<li>Item 2
<ul>
<li>Subitem of unordered list</li>
<li>Subitem 2
<ul>
<li>Level 3 subitem</li>
<li>Level 3 subitem</li>
<li>Level 3 subitem</li>
</ul>
</li>
</ul>
</li>
<li>Item 3</li>
</ul>
</td>
</tr>
</tbody></table>

```

<p> </p>

<h4>Automatic Column Width</h4>

```

<table class="bpmTopnTail"><tbody>

```

```

<tr>

```

```

<td>Causes</td>

```

```

<td>Nulla felis erat, imperdiet eu, ullamcorper non, nonummy quis, elit. <br />

```

```

Ut a eros at ligula vehicula pretium; maecenas feugiat pede vel risus.<br />

```

```

Suspendisse potenti</td>

```

```

</tr>

```

```

<tr>

```

```

<td>Mechanisms</td>

```

```

<td>Ut magna ipsum, tempus in, condimentum at, rutrum et, nisl. Vestibulum interdum luctus sapien.

```

```

Quisque viverra. Etiam id libero at magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus

```

```

dictum. Maecenas consetetuer eros quis massa. Mauris semper velit vehicula purus. Duis lacus. Aenean

```

```

pretium consetetuer mauris. Ut purus sem, consequat ut, fermentum sit amet, ornare sit amet, ipsum.

```

```

Donec non nunc. Maecenas fringilla. Curabitur libero. In dui massa, malesuada sit amet, hendrerit

```

```

vitae, viverra nec, tortor. Donec varius. Ut ut dolor et tellus adipiscing adipiscing.</td>

```

```

</tr>

```

```

</tbody></table>

```

<h4>ColSpan & Rowspan</h4>

```

<table class="bpmTopnTail"><tbody>

```

```

<tr>

```

```

<td rowspan="2">Causes</td>

```

```

<td colspan="2">Nulla felis erat, imperdiet eu, ullamcorper non, nonummy quis, elit. <br />

```

```

Ut a eros at ligula vehicula pretium; maecenas feugiat pede vel risus.<br />

```

```

Suspendisse potenti</td>

```

```

</tr>

```

```

<tr>

```

```

<td>Fusce eleifend neque sit amet erat.<br />

```

```

Donec mattis, nisi id euismod auctor, neque metus pellentesque risus, at eleifend lacus sapien et

```

```

risus.</td>

```

```

<td>Mauris ante pede, auctor ac, suscipit quis, malesuada sed, nulla.<br />

```

```

Phasellus feugiat, lectus ac aliquam molestie, leo lacus tincidunt turpis, vel aliquam quam odio et

```

```

sapien.</td>

```

```

</tr>

```

```

</tbody></table>

```

<h4>Table Header & Footer Rows</h4>

<p>A table using a header row should repeat the header row across pages:</p>

```

<p>bpmTopic<b>C</b> Class</p>

```

```

<table class="bpmTopicC">

```



```

<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
<tr><th>Another Row header</th><td>Also data</td><td>Also data</td></tr>
</tbody></table>
<p> </p>

```

Autosizing Tables

Periodic Table of elements. Tables are set by default to reduce font size if complete words will not fit inside each cell, to a maximum of $1/1.4 \times$ the set font-size. This value can be changed by setting `$mpdf->shrink_tables_to_fit=1.8` or using html attribute `<table autosize="1.8">`.

Periodic Table

```

<table style="border:1px solid #000000;" cellPadding="9"><thead>
<tr><th>1A</th><th>2A</th><th>3B</th><th>4B</th><th>5B</th><th>6B</th><th>7B</th><th>8B</th><th>8B</th>
<th>8B</th><th>1B</th><th>2B</th><th>3A</th><th>4A</th><th>5A</th><th>6A</th><th>7A</th><th>8A</th></tr>
<tr>
<td colspan="18"></td>
</tr>
<tr>
<td>H</td>
<td colspan="16"></td>
<td>He</td>
</tr>
<tr>
<td>Li</td>
<td>Be</td>
<td colspan="10"></td>
<td>B</td>
<td>C</td>
<td>N</td>
<td>O</td>
<td>F</td>
<td>Ne</td>
</tr>
<tr>
<td>Na</td>
<td>Mg</td>
<td colspan="10"></td>
<td>Al</td>
<td>Si</td>
<td>P</td>
<td>S</td>
<td>Cl</td>
<td>Ar</td>
</tr>
<tr>
<td>K</td>
<td>Ca</td>
<td>Sc</td>
<td>Ti</td>
<td>V</td>
<td>Cr</td>
<td>Mn</td>
<td>Fe</td>
<td>Co</td>
<td>Ni</td>
<td>Cu</td>
<td>Zn</td>
<td>Ga</td>
<td>Ge</td>
<td>As</td>

```



```
<td>Se</td>
<td>Br</td>
<td>Kr</td>
</tr>
<tr>
<td>Rb</td>
<td>Sr</td>
<td>Y</td>
<td>Zr</td>
<td>Nb</td>
<td>Mo</td>
<td>Tc</td>
<td>Ru</td>
<td>Rh</td>
<td>Pd</td>
<td>Ag</td>
<td>Cd</td>
<td>In</td>
<td>Sn</td>
<td>Sb</td>
<td>Te</td>
<td>I</td>
<td>Xe</td>
</tr>
<tr>
<td>Cs</td>
<td>Ba</td>
<td>La</td>
<td>Hf</td>
<td>Ta</td>
<td>W</td>
<td>Re</td>
<td>Os</td>
<td>Ir</td>
<td>Pt</td>
<td>Au</td>
<td>Hg</td>
<td>Tl</td>
<td>Pb</td>
<td>Bi</td>
<td>Po</td>
<td>At</td>
<td>Rn</td>
</tr>
<tr>
<td>Fr</td>
<td>Ra</td>
<td>Ac</td>
<td colspan="15"></td>
</tr>
<tr>
<td colspan="18"></td>
</tr>
<tr>
<td colspan="3"></td>
<td>Ce</td>
<td>Pr</td>
<td>Nd</td>
<td>Pm</td>
<td>Sm</td>
<td>Eu</td>
<td>Gd</td>
<td>Tb</td>
<td>Dy</td>
<td>Ho</td>
<td>Er</td>
<td>Tm</td>
<td>Yb</td>
<td>Lu</td>
<td></td>
</tr>
<tr>
<td colspan="3"></td>
<td>Th</td>
<td>Pa</td>
<td>U</td>
<td>Np</td>
<td>Pu</td>
```

```
<td>Am</td>
<td>Cm</td>
<td>Bk</td>
<td>Cf</td>
<td>Es</td>
<td>Fm</td>
<td>Md</td>
<td>No</td>
<td>Lr</td>
<td></td>
</tr>
</tbody></table>
```

```
<pagebreak />
```

```
<h3>Rotating Tables</h3>
```

```
<p>This is set to rotate -90 degrees (counterclockwise).</p>
```

```
<h5>Periodic Table</h5>
```

```
<p>
```

```
<table rotate="-90" class="bpmClearC"><thead>
```

```
<tr><th>1A</th><th>2A</th><th>3B</th><th>4B</th><th>5B</th><th>6B</th><th>7B</th><th>8B</th><th>8B</th>
<th>8B</th><th>1B</th><th>2B</th><th>3A</th><th>4A</th><th>5A</th><th>6A</th><th>7A</th><th>8A</th></tr></thead><tbody>
```

```
<tr>
```

```
<td></td>
```

```
<td colspan="18"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>H</td>
```

```
<td colspan="15"></td>
```

```
<td></td>
```

```
<td>He</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Li</td>
```

```
<td>Be</td>
```

```
<td colspan="10"></td>
```

```
<td>B</td>
```

```
<td>C</td>
```

```
<td>N</td>
```

```
<td>O</td>
```

```
<td>F</td>
```

```
<td>Ne</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Na</td>
```

```
<td>Mg</td>
```

```
<td colspan="10"></td>
```

```
<td>Al</td>
```

```
<td>Si</td>
```

```
<td>P</td>
```

```
<td>S</td>
```

```
<td>Cl</td>
```

```
<td>Ar</td>
```

```
</tr>
```

```
<tr>
```

```
<td>K</td>
```

```
<td>Ca</td>
```

```
<td>Sc</td>
```

```
<td>Ti</td>
```

```
<td>V</td>
```

```
<td>Cr</td>
```

```
<td>Mn</td>
```

```
<td>Fe</td>
```

```
<td>Co</td>
```

```
<td>Ni</td>
```

```
<td>Cu</td>
```

```
<td>Zn</td>
```

```
<td>Ga</td>
```

```
<td>Ge</td>
```

```
<td>As</td>
```

```
<td>Se</td>
```

```
<td>Br</td>
```

```
<td>Kr</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Rb</td>
```

```
<td>Sr</td>
<td>Y</td>
<td>Zr</td>
<td>Nb</td>
<td>Mo</td>
<td>Tc</td>
<td>Ru</td>
<td>Rh</td>
<td>Pd</td>
<td>Ag</td>
<td>Cd</td>
<td>In</td>
<td>Sn</td>
<td>Sb</td>
<td>Te</td>
<td>I</td>
<td>Xe</td>
</tr>
<tr>
<td>Cs</td>
<td>Ba</td>
<td>La</td>
<td>Hf</td>
<td>Ta</td>
<td>W</td>
<td>Re</td>
<td>Os</td>
<td>Ir</td>
<td>Pt</td>
<td>Au</td>
<td>Hg</td>
<td>Tl</td>
<td>Pb</td>
<td>Bi</td>
<td>Po</td>
<td>At</td>
<td>Rn</td>
</tr>
<tr>
<td>Fr</td>
<td>Ra</td>
<td>Ac</td>
</tr>
<tr>
<td></td>
<td colspan="18"></td>
</tr>
<tr>
<td colspan="3"></td>
<td>Ce</td>
<td>Pr</td>
<td>Nd</td>
<td>Pm</td>
<td>Sm</td>
<td>Eu</td>
<td>Gd</td>
<td>Tb</td>
<td>Dy</td>
<td>Ho</td>
<td>Er</td>
<td>Tm</td>
<td>Yb</td>
<td>Lu</td>
<td></td>
</tr>
<tr>
<td colspan="3"></td>
<td>Th</td>
<td>Pa</td>
<td>U</td>
<td>Np</td>
<td>Pu</td>
<td>Am</td>
<td>Cm</td>
<td>Bk</td>
<td>Cf</td>
<td>Es</td>
<td>Fm</td>
```

```

<td>Md</td>
<td>No</td>
<td>Lr</td>
<td></td>
</tr>
</tbody></table>
<p> </p>

<pagebreak />
<h3>Rotated text in Table Cells</h3>

<h5>Periodic Table</h5>
<table>
<thead>
<tr text-rotate="45">
<th><p>Element type 1A</p><p>Second line</p><th><p>Element type longer 2A</p></th>
<th>Element type 3B</th>
<th>Element type 4B</th>
<th>Element type 5B</th>
<th>Element type 6B</th>
<th>7B</th><th>8B</th>
<th>Element type 8B R</th>
<th>8B</th>
<th>Element <span>type</span> 1B</th>
<th>2B</th>
<th>Element type 3A</th>
<th>Element type 4A</th>
<th>Element type 5A</th>
<th>Element type 6A</th>
<th>7A</th>
<th>Element type 8A</th>
</tr>
</thead>

<tbody>
<tr>
<td>H</td>
<td colspan="15"></td>
<td></td>
<td>He</td>
</tr>
<tr>
<td>Li</td>
<td>Be</td>
<td colspan="10"></td>
<td>B</td>
<td>C</td>
<td>N</td>
<td>O</td>
<td>F</td>
<td>Ne</td>
</tr>
<tr>
<td>Na</td>
<td>Mg</td>
<td colspan="10"></td>
<td>Al</td>
<td>Si</td>
<td>P</td>
<td>S</td>
<td>Cl</td>
<td>Ar</td>
</tr>
<tr style="text-rotate: 45">
<td>K</td>
<td>Ca</td>
<td>Sc</td>
<td>Ti</td>
<td>V</td>
<td>Cr</td>
<td>Mn</td>
<td>Fe</td>
<td>Co</td>
<td>Ni</td>
<td>Cu</td>
<td>Zn</td>
<td>Ga</td>
<td>Ge</td>

```

```
<td>As</td>
<td>Se</td>
<td>Br</td>
<td>Kr</td>
</tr>
<tr>
<td>Rb</td>
<td>Sr</td>
<td>Y</td>
<td>Zr</td>
<td>Nb</td>
<td>Mo</td>
<td>Tc</td>
<td>Ru</td>
<td style="text-align:right; ">Rh</td>
<td>Pd</td>
<td>Ag</td>
<td>Cd</td>
<td>In</td>
<td>Sn</td>
<td>Sb</td>
<td>Te</td>
<td>I</td>
<td>Xe</td>
</tr>
<tr>
<td>Cs</td>
<td>Ba</td>
<td>La</td>
<td>Hf</td>
<td>Ta</td>
<td>W</td>
<td>Re</td>
<td>Os</td>
<td>Ir</td>
<td>Pt</td>
<td>Au</td>
<td>Hg</td>
<td>Tl</td>
<td>Pb</td>
<td>Bi</td>
<td>Po</td>
<td>At</td>
<td>Rn</td>
</tr>
<tr>
<td>Fr</td>
<td>Ra</td>
<td colspan="16">Ac</td>
</tr>
<tr>
<td colspan="3"></td>
<td>Ce</td>
<td>Pr</td>
<td>Nd</td>
<td>Pm</td>
<td>Sm</td>
<td>Eu</td>
<td>Gd</td>
<td>Tb</td>
<td>Dy</td>
<td>Ho</td>
<td>Er</td>
<td>Tm</td>
<td>Yb</td>
<td>Lu</td>
<td></td>
</tr>
<tr>
<td colspan="3"></td>
<td>Th</td>
<td>Pa</td>
<td>U</td>
<td>Np</td>
<td>Pu</td>
<td>Am</td>
<td>Cm</td>
<td>Bk</td>
```

```
<td>Cf</td>
<td>Es</td>
<td>Fm</td>
<td>Md</td>
<td>No</td>
<td>Lr</td>
<td></td>
</tr>
</tbody></table>
<p> </p>

';

//=====
//=====
//=====
include("../mpdf.php");

$mpdf=new mPDF('en-GB','A4','','',32,25,27,25,16,13);

$mpdf->useOnlyCoreFonts = true;

$mpdf->SetDisplayMode('fullpage');

$mpdf->list_indent_first_level = 0; // 1 or 0 - whether to indent the first level of a list

// LOAD a stylesheet
$stylesheet = file_get_contents('mpdfstyletables.css');
$mpdf->WriteHTML($stylesheet,1); // The parameter 1 tells that this is css/style only and no
body/html/text

$mpdf->WriteHTML($html,2);

$mpdf->Output('mpdf.pdf','I');
exit;
//=====
//=====
//=====

?>
```